



Vendor: Microsoft

Exam Code: 70-741

Exam Name: Networking with Windows Server 2016

QUESTION 1

Your network contains multiple wireless access points (WAPs) that use WPA2-Personal authentication. The network contains an enterprise root certification authority (CA).

The security administrator at your company plans to implement WPA2-Enterprise authentication on the WAPs.

To support the authentication change, you deploy a server that has Network Policy Server (NPS) installed.

You need to configure NPS to authenticate the wireless clients.

What should you do on the NPS server?

- A. Add RADIUS clients and configure network policies.
- B. Create a remote RADIUS server group and configure connection request policies.
- C. Create a remote RADIUS server group and install a server certificate.
- D. Add RADIUS clients and configure connection request policies.

Correct Answer: A

Explanation:

<https://ittrainingday.com/2013/12/25/how-to-configure-a-windows-radius-server-for-802-1x-wireless-or-wired-connections/>

QUESTION 2

Your company has 10 offices. Each office has a local network that contains several Hyper-V hosts that run Windows Server 2016. All of the offices are connected by high speed, low latency WAN links.

You need to ensure that you can use QoS policies for Live Migration traffic between the offices.

Which component should you install?

- A. the Data Center Bridging feature
- B. the Routing role service
- C. the Network Controller server role
- D. the Multipath I/O feature
- E. the Canary Network Diagnostics feature

Correct Answer: D

Explanation:

[https://technet.microsoft.com/en-us/library/jj735302\(v=ws.11\).aspx](https://technet.microsoft.com/en-us/library/jj735302(v=ws.11).aspx)

QUESTION 3


HOTSPOT

You have a Hyper-V host named Server1 that runs Windows Server 2016. Server1 connects to your corporate network. The Corporate network uses the 10.10.0.0/16 address space.


Server1 hosts a virtual machine named VM1, VM1 is configured to have an IP addresses of 172.16.1.54/16.

You need to ensure that VM1 can access the resources on the corporate network.
What should you do?

To answer, select the appropriate options in the answer area.



Correct Answer:



QUESTION 4

You have a virtual machine named VM1 that runs Windows Server 2016, VM1 hosts a service that requires high network throughput.

VM1 has a virtual network adapter that connects to a Hyper-V switch named vSwitch1. vSwitch1 has one network adapter. The network adapter supports Remote Direct Memory Access (RDMA), the single root I/O virtualization (SR-IOV) interface, Quality of Service (QoS), and Receive Side Scaling (RSS).

You need to ensure that the traffic from VM1 can be processed by multiple networking processors.

Which Windows PowerShell command should you run on the host of VM1?

- A. Set-NetAdapterRss
- B. Set-NetAdapterRdma
- C. Set-NetAdapterQos
- D. Set-NetAdapterSriov

Correct Answer: D

QUESTION 5

HOTSPOT

You have an Active Directory domain named Contoso.com. The domain contains Hyper-V hosts named Server1 and Server2 that run Windows Server 2016. The Hyper-V hosts are configured to use NVGRE for network virtualization.

You have six virtual machines that are connected to an external switch. The virtual machines are configured as shown.

Virtual Machine Name	Hyper-V host	IP address	Netmask	GRE key
VM1	Server1	192.168.1.16	255.255.255.0	16
VM2	Server2	192.168.1.232	255.255.255.0	32
VM3	Server3	192.168.1.32	255.255.255.0	32
VM4	Server4	192.168.1.25	255.255.255.0	25
VM5	Server5	192.168.1.116	255.255.255.0	16
VM6	Server6	192.168.1.132	255.255.255.0	32

To which virtual machine or virtual machines can VM1 and VM3 connect?

To answer, select the appropriate options in the answer area.

Answer Area

VM1 can connect to:

- VM2 only
- VM5 only
- VM2, VM3, VM5, and VM6 only
- VM2, VM3, VM4, VM5, and VM6

VM3 can connect to:

- VM6 only
- VM2, and VM6 only
- VM4, VM5, and VM6 only
- VM1, VM2, VM5, and VM6 only
- VM1, VM2, VM4, VM5, and VM6

Correct Answer: